



**TWP**

PACKAGING SOLUTIONS

---



# SAFETY FOOTWEAR CATALOGUE

**Trevor and Warren Packaging CC T/A TWP Packaging Solutions.**

**Unit 9 & 11 Transit Industrial Park,  
140 Deodar Str, Pomona, Kempton Park  
+ 27 11 918 4890, [info@twpackaging.co.za](mailto:info@twpackaging.co.za)**

**[www.twpackaging.co.za](http://www.twpackaging.co.za)**





**LEMAITRE**  
SAFETY FOOTWEAR

**BSF**  
SAFETY AFRICA



**PROUDLY SOUTH AFRICAN**

# PROTECTING THE FEET OF THOSE WHO BUILD SOUTH AFRICA.

## HAWK STC 8024



**LEMAITRE**

SOLE: RAPTOR SOLE UNIT  
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J  
COLOUR: BLACK/GREY  
SIZES: 5-12

SANS/ISO 20345



## EAGLE STC 8025



**LEMAITRE**

SOLE: RAPTOR SOLE UNIT  
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J  
COLOUR: BLACK/GREY  
SIZES: 5-12

SANS/ISO 20345



## OSPREY HIKER STC 8038



**LEMAITRE**

SOLE: RAPTOR SOLE UNIT  
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J  
COLOUR: BLACK OR TAN  
SIZES: 5-12

SANS/ISO 20345



## MAXECO SMS 8011



**LEMAITRE**

SOLE: MAXECO SOLE UNIT  
TOE CAP: WIDE STEEL TOE CAP 200J  
MIDSOLE: STEEL  
COLOUR: BLACK  
SIZES: 5-12

SANS/ISO 20345





## MAXECO 8031



SOLE: MAXECO SOLE UNIT  
TOE CAP: WIDE STEEL TOE CAP 200J  
COLOUR: BLACK OR TAN  
SIZES: 3-12  
SANS/ISO 20345



## MAXECO METAGUARD 8061



SOLE: MAXECO SOLE UNIT  
TOE CAP: WIDE STEEL TOE CAP  
COLOUR: BLACK  
SIZES: 3-12  
SANS/ISO 20345



## ROBUST 8102



SOLE: MAXECO SOLE UNIT  
TOE CAP: WIDE STEEL TOE CAP 200J  
COLOUR: BLACK  
SIZES: 3-12  
SANS/ISO 20345



## ZEUS 8115



SOLE: GLADIUS SOLE UNIT  
TOE CAP: WIDE STEEL TOE CAP 200J  
COLOUR: BLACK OR BROWN  
SIZES: 3-13  
SANS/ISO 20345



## EROS 8088



SOLE: GLADIUS SOLE UNIT  
TOE CAP: WIDE STEEL TOE CAP 200J  
COLOUR: BLACK  
SIZES: 5-12  
SANS/ISO 20345



## TURTLE 8132



SOLE: GLADIUS SOLE UNIT  
TOE CAP: WIDE STEEL TOE CAP 200J  
COLOUR: BLACK  
SIZES: 5-12  
SANS/ISO 20345



## CLOG 8009



SOLE: APOLLO SOLE UNIT  
TOE CAP: WIDE STEEL TOE CAP 200J  
COLOUR: BLACK  
SIZES: 3-12

SANS/ISO 20345



## SPORT 8050



SOLE: APOLLO SOLE UNIT  
TOE CAP: WIDE STEEL TOE CAP 200J  
COLOUR: BLACK  
SIZES:

SANS/ISO 20345



## BEN 8003



SOLE: APOLLO SOLE UNIT  
TOE CAP: WIDE STEEL TOE CAP 200J  
COLOUR: BLACK/GREY  
SIZES: 5-12

SANS/ISO 20345



## NOMAD 8001



SOLE: PARABOLIC SOLE UNIT  
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J  
COLOUR: BLACK  
SIZES: 5-12

SANS/ISO 20345



## QUEST 8002



SOLE: PARABOLIC SOLE UNIT  
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J  
COLOUR: BLACK  
SIZES: 5-12

SANS/ISO 20345



## CONCORD SHOE 8020



SOLE: PARABOLIC SOLE UNIT  
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J  
COLOUR: BROWN  
SIZES: 5-12

SANS/ISO 20345







**STANDARD HARNESS:  
DOUBLE LEG LANYARD  
WITH SCAFFOLDING HOOKS**  
HARN01220

**SIZING:**

One size fits all

**HOOKS:**

Double Scaffolding Hooks

**ADJUSTMENTS:**

Leg & Chest Straps

**AVAILABLE WITH STANDING STEP:**  
HARN01260



**GORDIAN HARNESS**  
HARN50000

**SIZING:**

S | M | L | XL

**HOOKS:**

Five Attachment Points

**ADJUSTMENTS:**

Leg, Shoulder, Back and Waist Straps

**PADDING:**

Waist and Leg Areas



**AGILIS HARNESS**  
HARN40000

**SIZING:**

S | M | L | XL

**HOOKS:**

Four Attachment Points

**ADJUSTMENTS:**

Leg, Shoulder, Back and Waist Straps

**PADDING:**

Waist Area

**FEATURES:**

Standing Step



**SPARK HARNESS**  
HARN60000

**SIZING:**

One size fits all

**HOOKS:**

Two Attachment Points

**ADJUSTMENTS:**

Leg & Chest Straps

**FEATURES:**

- Flame retardant webbing
- Aluminium Quick-Release buckles



**AGILIS HARNESS**  
HARN40000

**SIZING:**

S | M | L | XL

**HOOKS:**

Four Attachment Points

**ADJUSTMENTS:**

Leg & Chest Straps

**PADDING:**

Waist, Leg and Shoulder Areas

**FEATURES:**

- Fire retardant & ARC Flash Rated webbing
- Aluminium Buckles



**LANYARDS**



LANY01220



LANY01420



LANY01620





SOME RANGES NEVER GO OUT OF STYLE  
**THEY JUST STEP UP THEIR GAME**



SOLE GRIP INCREASED  
TO AN **SRC SLIP**  
RESISTANCE RATING



WEIGHT REDUCED BY  
ON AVERAGE PER PAIR\*

**261g**



**7.7 X**  
MORE SOLE  
FLEXIBILITY\*

**INTRODUCING TRAX 2.0**



**MUNICH 2.0**

B-21002



**BREMEN 2.0**

B-21001



**TAHOE**

B-21021



**ALPINE**

B-21019

Black & Lime / Black & Silver



**AMATHOLE**

B-21018

Black & Lime / Black & Silver



**HIKER 2.0**

B-21013



## EXTREMEWEAR

PU/RUBBER



### FIREWALK B-42003 ♂

Anti-shock Safety Boot



Sizes: 4-13

Colour: Black

- Dual Density PU/Rubber sole
- Steel toe cap
- Heat-resistant up to 300°C
- Full Grain Leather upper
- Non-conductive

## EXTREMEWEAR

PU/RUBBER



### WELDERS B-42004 ♂

Welders Safety Boot



Sizes: 4-13

Colour: Black

- Dual Density PU/Rubber sole
- Steel toe cap
- Heat-resistant up to 300°C
- Full Grain Leather upper
- Spat covering with stainless steel buckles
- Non-conductive

## EXTREMEWEAR

PU/RUBBER



### ROCNA B-43601 ♂

Extreme Slip Safety Shoe



Sizes: 4-13

Colour: Black

- Dual Density PU/Vibram Rubber sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 300°C
- Full Grain Waxy Leather upper
- Anti-penetration in-sock
- Non-conductive
- Approved by the Podiatry Association of South Africa

## EXTREMEWEAR

PU/RUBBER



### DROGUE B-43602 ♂

Extreme Slip Safety Boot



Sizes: 4-13

Colour: Black

- Dual Density PU/Vibram Rubber sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 300°C
- Full Grain Waxy Leather upper
- Anti-penetration in-sock
- Non-conductive
- Approved by the Podiatry Association of South Africa

## EXTREMEWEAR

PU/RUBBER



### NEBULA B-43603 ♂

Extreme Slip Safety Boot



Sizes: 4-13

Colour: Brown

- Dual Density PU/Vibram Rubber sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 300°C
- Full Grain Leather upper
- Anti-penetration in-sock
- Non-conductive
- Approved by the Podiatry Association of South Africa

## EXTREMEWEAR

RUBBER/RUBBER



### BASALT B-1742 ♂

Safety Boot



Sizes: 4-14

Colour: Black

- Dual Compound Rubber/ Rubber sole
- Steel toe cap
- Heat-resistant up to 300°C
- Full Grain Leather upper
- Elastic side gussets for ease of entering and exiting the boot
- Anti-static

## HEAVYWEAR CORE RANGE



### RADICAL B-60001 ♂

Durable Safety Shoe



Sizes: 4-13  
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Genuine Split Leather upper
- Anti-static

## HEAVYWEAR CORE RANGE



### MAVERICK B-60002 ♂

Durable Safety Boot



Sizes: 4-13  
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Genuine Split Leather upper
- Anti-static

## HEAVYWEAR CORE RANGE



### NEOGRIP B-90005 ♂

Durable Safety Shoe



Sizes: 5-13  
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## HEAVYWEAR CORE RANGE



### NEOFLEX B-90004 ♂

Durable Safety Boot



Sizes: 3-15  
Colour: Black & Tan

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## HEAVYWEAR CORE RANGE



### TRAINER B-60012 ♂

Durable Safety Shoe



Sizes: 4-12  
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## HEAVYWEAR CORE RANGE



### CHELSEA B-90006 ♂

Durable Safety Boot



Sizes: 3-13  
Colour: Black & Brown

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static



## HEAVYWEAR CORE RANGE



### HAMBURG B-90008 ♂

Durable Safety Shoe



Sizes: 4-12  
Colour: Grey


- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Suede Leather upper
- Anti-static

## HEAVYWEAR TRAX RANGE



### HIKER 2.0 B-21013 ♂

Advanced Comfort Safety Boot



Sizes: 3-13  
Colour: Black & Brown

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## HEAVYWEAR TRAX RANGE



### BREMEN 2.0 B-21001 ♂

Advanced Comfort Safety Shoe



Sizes: 5-13  
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

### MUNICH 2.0 B-21002 ♂

Advanced Comfort Safety Boot



Sizes: 5-13  
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## HEAVYWEAR AKTIV RANGE



### ATLANTIS B-30006 ♂

Metal-free Safety Shoe with Comfort Engineering



Sizes: 5-12  
Colour: Black


- Dual Density PU/PU sole
- Composite toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static
- Approved by the Podiatry Association of South Africa

## HEAVYWEAR AKTIV RANGE



### COLUMBIA B-30005 ♂

Metal-free Safety Boot with Comfort Engineering



Sizes: 5-12  
Colour: Black

- Dual Density PU/PU sole
- Composite toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static
- Approved by the Podiatry Association of South Africa

## LIGHTWEAR UTILITY RANGE



### MULTI B-71441 ♂

Utility Safety Shoe



Sizes: 5-13

Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Genuine Split Leather upper

## LIGHTWEAR UTILITY RANGE



### ADAPT B-71442 ♂

Utility Safety Boot



Sizes: 5-13

Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Genuine Split Leather upper

## LIGHTWEAR EXECUTIVE RANGE



### JARMAN B-70003 ♂

Executive Safety Shoe



Sizes: 5-12

Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## LIGHTWEAR EXECUTIVE RANGE



### OXFORD B-70006 ♂

Executive Safety Shoe



Sizes: 5-12

Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static



### BOVA SOX FOR MEN

- Anti-bacterial
- Anti-static
- Available to purchase separately
- Included with footwear where the FREE BOVA SOX logo is shown



### SMELTERS SOX FOR MEN

- Hot metal industry
- Flame retardant yarn
- Reinforced at both the toe and heel



### FOOTOLOGY SOX UNISEX ANKLET

- Anti-bacterial
- Anti-static





SAFETY WEAR

**SHAPED FOR  
WOMEN WHO  
SHAPE THE  
WORLD** \_\_\_\_\_



# LADIES RANGE

## SINGLE DENSITY RANGE

### VENICE S-51002



**Sizes:** 3-8  
**Colour:** Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## SINGLE DENSITY RANGE

### PARIS S-51003



**Sizes:** 3-8  
**Colour:** Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper with elastic side gussets
- Anti-static

## SINGLE DENSITY RANGE

### CORAL S-53002



**Sizes:** 2-9  
**Colour:** Black & Grey with a Grey suede overlay

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## SINGLE DENSITY RANGE

### MADONNA S-51004



**Sizes:** 3-8  
**Colour:** Black with Purple stitching

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## SINGLE DENSITY RANGE

### SYDNEY S-51005



**Sizes:** 3-8  
**Colour:** Brown

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper with pull straps
- Anti-static

## SINGLE DENSITY RANGE

### SYDNEY S-51005



**Sizes:** 3-8  
**Colour:** Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper with pull straps
- Anti-static



# LADIES RANGE

## SINGLE DENSITY RANGE

**COURT S-53001**



**Sizes:** 2-9  
**Colour:** Black

- Single Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## SINGLE DENSITY RANGE

**OPAL S-53003**



**Sizes:** 2-9  
**Colour:** Black or Brown

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## DOUBLE DENSITY RANGE

**NICOLE S-54001**



**Sizes:** 2-9  
**Colour:** Black

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## DOUBLE DENSITY RANGE

**CATE S-54002**



**Sizes:** 2-9  
**Colour:** Black

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## DOUBLE DENSITY RANGE

**JENNIFER S-55005**



**Sizes:** 3-8  
**Colour:** Black with Pink trim

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

## DOUBLE DENSITY RANGE

**REESE S-55006**




**Sizes:** 3-8  
**Colour:** Black with Pink trim

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static





# GUMBOOT SPECIALIST SINCE 1940



## **Egoli 1**

W-1270  
Sizes 5 - 14  
Steel toe cap  
Available In Non Steel  
Toe Cap W-1260

## **Ankle Miner Lace Up**

W-1860  
Sizes 5 - 12  
Steel toe cap

## **Gripper**

W-1210  
Sizes 3 - 12  
Steel toe cap

For 80 years and counting, WAYNE has focused on what we do best – gumboots, and gumboots only – allowing us to become pioneers in our industry, delivering consistently excellent and innovatively designed gumboots that are manufactured from world-class materials and components.

**WAYNE**

[www.wayne-safety.com](http://www.wayne-safety.com)





**Duralight  
Ladies 1  
W-1661**  
(Without STC)

**Size range:** 3 - 8

**Upper:** PVC

**Sole:** PVC

**Colours:** Black upper / Black sole



**EGOLI 2  
Metaguard  
W-1392**  
(STC)

**Size range:** 5 - 12

**Upper:** PVC uppers

**Sole:** PVC Sole

**Colours:** Black / Toffee



**Men's  
Chelsea HD  
W-1506**  
(STC)

**Size range:** 5 - 12

**Upper:** PVC upper

**Sole:** PVC / Nitrile sole

**Colours:** Black upper / Toffee sole



**Duralight  
Men's 1  
W-1040**  
(Without STC)

**Size range:** 6 - 12

**Upper:** PVC upper

**Sole:** PVC sole

**Colours:** Black upper / Black sole



Made with  
recycled  
material



**Duralight  
Ladies 2  
W-1681**  
(Without STC)

**Size range:** 3 - 8

**Upper:** PVC / Nitrile upper

**Sole:** PVC / Nitrile sole

**Colours:** White upper / Red sole



**Duralight  
Men's 2  
W-1030**  
(Without STC)

**Size range:** 6 - 12

**Upper:** PVC / Nitrile upper

**Sole:** PVC / Nitrile sole

**Colours:** White upper / Red sole





## CHELSEA FR-10006

### Features:

Size Range: 5 - 12  
 Colour: Black  
 Sole: Single Density PU sole  
 Heat Resistance: Up to 95° Celsius  
 Upper: Genuine Leather - Haircell  
 Accreditation: EN/ISO 20345



## ECONO TUFF FR-4551

### Features:

Size Range: 4 - 13  
 Colour: Black  
 Sole: PU Sole  
 Heat Resistance: Up to 95° Celsius  
 Upper: Genuine Leather - Barton Print  
 Accreditation: EN/ISO 20345



## PUMBA FR-8401

### Features:

Size Range: 3 - 12  
 Colour: Black  
 Sole: Generic PU Dual Density Sole  
 Heat Resistance: Up to 95° Celsius  
 Upper: Genuine Leather - Barton Print  
 Tongue: Full Bellow's Tongue  
 Accreditation: EN 20345



## ADDO FR-8402

### Features:

Size Range: 3 - 12  
 Colour: Black  
 Sole: Generic PU Dual Density Sole  
 Heat Resistance: Up to 95° Celsius  
 Upper: Genuine Leather - Barton Print  
 Tongue: Full Bellow's Tongue  
 Accreditation: EN 20345



## GEO-TREAD FR-2911

### Features:

Size Range: 4 - 13  
 Colour: Black  
 Sole: Frams Level 2 PU Dual Density Sole  
 Heat Resistance: Up to 95° Celsius  
 Upper: Genuine Leather - Barton Print  
 Tongue: Gibson Style  
 Accreditation: SANS/ISO 20345



## GEO-TREK FR-4911

### Features:

Size Range: 4 - 13  
 Colour: Black  
 Sole: Frams Level 2 PU Dual Density Sole  
 Heat Resistance: Up to 95° Celsius  
 Upper: Genuine Leather - Barton Print  
 Tongue: Full Bellow's Tongue  
 Accreditation: SANS/ISO 20345



# CABLE

SAFETY

## PLATINUM C-09

BLACK LEATHER  
STEEL TOE CAP,  
SLIP RESISTANT SOLES,  
STEEL MID SOLES  
SIZES 6 - 12



## PLATINUM C-09

BROWN LEATHER  
STEEL TOE CAP,  
SLIP RESISTANT SOLES,  
STEEL MID SOLES  
SIZES 6 - 12



## GOLD C-10

BLACK LEATHER  
STEEL TOE CAP  
SLIP RESISTANT SOLES  
STEEL MID SOLES  
SIZES 6 - 12



## GOLD C-10

BROWN LEATHER  
STEEL TOE CAP  
SLIP RESISTANT SOLES  
STEEL MID SOLES  
SIZES 6 - 12



## LITHIUM C-11

BLACK LEATHER  
STEEL TOE CAP  
SLIP RESISTANT SOLES  
STEEL MID SOLES  
SIZES 6 - 12



## LITHIUM C-11

BROWN LEATHER  
STEEL TOE CAP  
SLIP RESISTANT SOLES  
STEEL MID SOLES  
SIZES 6 - 12



## GARNET C-14

BLACK WITH LIME  
STEEL TOE CAP  
SLIP RESISTANT SOLES  
STEEL MID SOLES  
SIZES 6 - 12



## SILVER C-08

TAN LEATHER  
STEEL TOE CAP  
SLIP RESISTANT SOLES  
STEEL MID SOLES  
SIZES 6 - 12





# YOU NEED TO FOCUS.


LET THE PROPANE TAKE CARE OF THE REST.

## BROWN PROPANE M-08

- BROWN LEATHER
  - NON-STEEL TOE CAP
  - STEEL MID PLATE
  - SLIP RESISTANT SOLE
- SIZES 6 - 12

## PROPANE M-10

- BLACK/BROWN LEATHER
  - STEEL TOE CAP
  - STEEL MID PLATE
  - SLIP RESISTANT SOLE
- SIZES 6 - 12



## THE PROPANE

CATFOOTWEAR.CO.ZA

The Caterpillar logo, consisting of the word "CAT" in a bold, sans-serif font, with a stylized mountain peak above the letter "A". The logo is white on a black background.





# [WORK PRODUCT]

SOUTH AFRICA



## ABBEY M-01

- TAN LEATHER
- STEEL TOE CAP
- SLIP RESISTANT SOLE
- SIZES 3 - 8

LADIES



## MAE M-02

- BLACK WATERPROOF LEATHER
- STEEL TOE CAP
- SLIP RESISTANT SOLE
- SIZES 3 - 8

LADIES



## DIAGNOSTIC M-14

- TAN/BLACK LEATHER
- STEEL TOE CAP
- SLIP RESISTANT SOLE
- SIZES 6 - 12



## CROSSRAIL M-15

- TAN/BLACK LEATHER
- STEEL TOE CAP
- SLIP RESISTANT SOLE
- SIZES 6 - 12



## EXCAVATOR M-16

- BLACK/BROWN
- CARBON COMPOSITE TOE CAP
- NON-METALLIC
- SLIP RESISTANT SOLE
- SIZES 6 - 12



## TAN EXPO CHELSEA M-09

- TAN NU-BUCK
- ALLOY TOE CAP
- EXTREME SLIP RESISTANCE
- ELECTRICAL HAZARD (EH)
- SIZES 6 - 12



## POWER LACE M-25

- BLACK/BROWN
- STEEL TOE CAP
- GOODYEAR WELT CONSTRUCTION
- NITRILE RUBBER SOLE
- SIZES 6 - 12



## STRIVER LACE M-26

- BLACK/BROWN
- STEEL TOE CAP
- DUAL DENSITY PU SOLE
- SIZES 6 - 12



## STRIVER CHELSEA M-27

- BLACK/BROWN
- STEEL TOE CAP
- ANTI-PENETRATION STEEL MIDSOLE
- DUAL DENSITY PU SOLE
- SIZES 6 - 12



## POWER CHELSEA M-13

- BLACK/BROWN
- STEEL TOE CAP
- GOODYEAR WELT CONSTRUCTION
- NITRILE RUBBER
- SIZES 6 - 12







For Africa's Workforce



### SCARLET P-LS01

**BLACK LADIES SAFETY BOOT**  
with lightweight, SRC non-slip sole

Size 2-9 Ladies



### CHARLOTTE P-LS02

**BLACK LADIES SAFETY SHOE**  
with lightweight, SRC non-slip sole

Size 2-9 Ladies



### PARSON P-JS01

**BLACK SAFETY BOOT**  
with Steel Midsole. Available in Metal Free.

Size 2-15 Unisex



### HOBO P-JS03 SHOE

**BLACK ECONO SAFETY SHOE**  
with Genuine Leather and Dual Density PU

Size 2-15 Unisex



### HOBO P-JS03 BOOT

**BLACK ECONO SAFETY BOOT**  
with Genuine Leather and Dual Density PU

Size 2-15 Unisex



### LYNX P-JS02

**BLACK SAFETY SHOE**  
with penetration resistant Steel Midsole

Size 2-15 Unisex



### BAGHEERA P-JS07

**BLACK CHELSEA BOOT**  
Slip on with Oily Waxy Leather

Size 2-15 Unisex



### ASSASSIN P-JS06

**BROWN CHELSEA BOOT**  
Slip on with Oily Waxy Leather

Size 2-15 Unisex



### ALL WHEEL DRIVE P-AS01

**BLACK SAFETY SNEAKER**  
with Scuff Resistant Leather Upper

Size 2-15 Unisex



### GOLIATH P-JS04

**BLACK HIKER BOOT**  
with super flexible sole and easy lacing

Size 2-15 Unisex



### TARANTULA PJS05 BOOT

**BLACK WEATHERPROOF BOOT**  
with 300 degree heat resistant sole

Size 2-15 Unisex



### GOLIATH 2 P-JS04-2

**HIGH BLACK HIKER BOOT**  
with extra Ankle protection and speed lacing

Size 2-15 Unisex





# REBEL

SAFETY GEAR



## AFRICA'S HARDEST WORKING BOOTS

 [www.rebelsafetygear.com](http://www.rebelsafetygear.com)







CODE R-380 | SIZES 2-14  
**CHUKKA SHOE**  
*The iconic work shoe*




S1

**Features**

Hi-viz reflective strip | Thermoplastic polyurethane (TPU) toe bumper for added scuff protection



CODE R-304 | SIZES 3-13  
**HIKER HI**  
*Superior work boot*



S1 Available in black

**Features**

Adventure and outdoor styling



CODE R-303 | SIZES 3-13  
**HIKER LO**  
*Superior work shoe*



S1

**Features**

Adventure and outdoor styling



CODE R-0808 | SIZES 4-13  
**ENDUROMAX**  
*Sport styled safety shoe*



S1

**Features**

Sole is heat resistant up to 300° | Electrostatic discharge (ESD)



CODE R-942 | SIZES 5-13  
**LIGHT INDUSTRIAL**  
*Lightweight and stylish safety shoe*



S1

**Features**

EVA midsole | Electrostatic discharge (ESD)



CODE R-316 | SIZES 4-13  
**DYNAPRO**  
*Super-stylish Flex-Mesh safety shoe*



S1

**Features**

Non-metallic toe cap | Thermoplastic polyurethane (TPU) toe bumper for added scuff protection







## EXPEDITION HI

High performance outdoor styled safety boot

**S3** Available in brown

## Features

Water resistant upper | Steel midsole for anti-penetration |  
Adventure and outdoor styling



## EXPEDITION LO

High performance outdoor styled safety shoe

S3

## Features

Water resistant upper | Steel midsole for anti-penetration |  
Adventure and outdoor styling



## CLASSIC SHOE

*Classic styled formal work shoe*

S1

## Features

200J steel toe cap



## CRAZY HORSE

*Stylish work boot with supreme comfort*

**S1P** Available in black & tan

## Features

Outsole is heat resistant up to 300° | Ultra-thick outsole with REBEL Platinum footbed (memory foam) providing maximum comfort | Steel midsole for anti-penetration



## HI TOP BOOT

*Trendy sneaker styled safety boot*

**S1** Available in black

## Features

200J steel toe cap



## LO TOP SAFETY SHOE

*Trendy sneaker styled safety shoe*

**S1** Available in black

## Features

### Electrostatic discharge (ESD)






## HAWK

S3

Heavy duty canvas has water resistant coating which allows breathability and quick drying | Quick release concealed YKK side zip | Steel midsole for anti-penetration



## THERMOTRAK

S1

**Outsole is heat resistant up to 300° | Built-in metatarsal spat to protect against splashes and welding sparks**



## LIGHT INDUSTRIAL

S1

EVA midsole | Outsole is heat resistant up to 120° |  
Electrostatic discharge (ESD)



**ZARI**

S1

200J steel toe cap



## THULI

S1

Heat resistant up to 120°



# KITO

S1

200J steel toe cap







SMALL (2-5)  
MEDIUM (6-9)  
LARGE (10-13+)

CODE R-VOS | SIZES 2-13+

## OVERSHOE

Unisex safety visitor overshoe



### Features

Velcro adjustable strap and lightweight, unisex design | SRC anti-slip design, durable and flexible rubber sole

CODE REBFB-02 | SIZES 2-14

## PLATINUM FOOTBED



### Features

As for the standard footbed, plus extra comfort | Poron® insert is used worldwide for general orthopaedic problems



CODE R-TRDD | SIZES 28-48

## TECH GEAR TROUSERS – DESERT DUST

Ultra durable technical trousers

### Features

Poly-cotton canvas is a cotton fabric with a high-density polyester thread weaved into it, making it easier to care for and more | Seven custom utility pockets



CODE R-TRGM | SIZES 28-48

## TECH GEAR TROUSERS – GUN METAL

Ultra durable technical trousers

### Features

Poly-cotton canvas is a cotton fabric with a high-density polyester thread weaved into it, making it easier to care for and more | Seven custom utility pockets



CODE R-TGAB | SIZES 28-48

## TECH GEAR TROUSER – AIR FORCE BLUE

Ultra durable technical trousers



### Features

Flame retardant and acid resistant, making it ideal for applications like welding and acid environments | Seven custom utility pockets



CODE R-SHDD | SIZES 28-48

## TECH GEAR SHORTS – DESERT DUST

Ultra durable technical trousers

### Features

Poly-cotton canvas is a cotton fabric with a high-density polyester thread weaved into it, making it easier to care for and more | Seven custom utility pockets





### Grasshopper W-5206

Colours: Black only

- Soft toe
- Sizes: 5 - 12



### Bronx Chunky J-7363

Colours: Black only

- Soft toe
- Sizes: 6 - 12



### Gatz Parabellum D-10001

Colours: Black leather

- Soft toe
- Sizes: 5 - 12

SABS SAN 421

Fully Goodyear Welted construction

- Full Grain Leather upper
- 100% Rubber Parabellum sole
- Breathable lining



### ERUPTION 4251



#### Features:

Size Range: 4 - 13

Colour: Brown

Sole: PU/Rubber

Heat Resistance: Up to 300° Celsius

Upper: Full Grain Leather

Accreditation: SANS/ISO 20345

### TITANIUM 4003



#### Features:

Size Range: 4 - 13

Colour: Black

Sole: PU/Rubber

Heat Resistance: Up to 300° Celsius

Upper: Full Grain Leather

Accreditation: SANS/ISO 20345